International Journal of Engineering Research & Technology (IJERT)
ISSN: 2278-0181
Vol. 14, Issue 05, IIRA 5.0 (2026)

# Utilizing IoT for Gesture Wave Intelligent Motion System

Sakshi Singh
Assistant Professor
*Moradabad Institute of Technology* Moradabad, India
er.sakshi.singh911@gmail.com

Piyush Kumar
Computer Science and Engineering
*Moradabad Institute of Technology*
Moradabad, India
*Pk8500454*@gmail.com

Vipin Chauhan
Computer Science and Engineering
*Moradabad Institute of Technology*
Moradabad, India
vipinchauhan14567@gmail.com

Swapnil Gahoi
Computer Science and Engineering
*Moradabad Institute of Technology*
Moradabad, India
*swapnilgahoi* @gmail.com

Shivam Dutta
Computer Science and Engineering
*Moradabad Institute of Technology*
Moradabad, India
*shivamdutta080*@gmail.com

**Abstract: -** The development of IoT-based control systems has greatly enhanced automation and smart motion control. This paper introduces the Gesture Wave Intelligent Motion System, which makes use of MPU 6050 sensors and master-slave structure to move a car by gesture. The system has four motors to enable motion in various directions and incorporates fire and smoke sensors to identify any hazards. In the event of fire or smoke detection, the system turns on a relay and a pump to spray water, preventing the risk of damage. Also, there is an alert mechanism with an alarm which debriefs the driver and passengers.
The control unit is implemented through Arduino Nano and the car unit through Arduino Uno. This project shows how IoT and embedded systems can improve automation and safety in motion-based applications, with future integration opportunities in hand gloves or smartwatches to enhance the usability. In addition, the system is made energy efficient by incorporating a rechargeable battery, making the solution environmentally friendly for real-world implementations.

**Keywords:** *Gesture Control, Motion System, Arduino, MPU 6050, Fire Detection.*

## I. Introduction

With increasing focus on automation and gesture-based control systems, IoT-powered solutions are taking center stage. Conventional remote-controlled vehicles depend on mechanical inputs, which are usually complicated to configure with buttons and might not be easy for everyone to use. Gesture-based

control, on the other hand, provides a more natural, intuitive, and interactive method of control, decreasing the cognitive burden on users and improving usability. By enabling users to operate control devices by using simple hand gestures, the technology can redefine human-machine interaction in various fields.
Gesture Wave Intelligent Motion System, our project, features a sophisticated master-slave design, whereby the Arduino Nano (controller unit) wirelessly communicates with the Arduino Uno (car unit) to provide fluid motion control and safety monitoring.

The two-tiered system architecture allows real-time response with reduced latency concerns and optimized accuracy. The master device, held or worn by the user, converts hand movements into movement commands, which are followed by the car device. The system utilizes an MPU 6050 sensor to sense six-axis motion, such as acceleration and angular.

velocity, to give accurate and timely gesture-based control. The car can move in four main directions: forward, backward, left, and right, based on real-time hand motion input. To further improve its safety features, the vehicle also features fire and smoke sensors that can detect environmental threats. When smoke or fire is detected, the system activates a relay-activated water pump to automatically douse possible flames, providing active hazard mitigation. An alarm system also issues audible alerts to the driver and passengers, giving additional safety.
Aside from its existing implementation, the controller may also be more advanced for wearable applications,

such as smart gloves or smartwatches, to make it smaller, portable, and easily embedded in everyday life. These advances will make hands-free control smoother, easier to use in multiple industries, including robotics, automation, health assistive devices, and industrial safety.

The project solves several essential problems in automation and gesture control, including precise gesture identification, real-time feedback, threat detection, and autonomous safety action.

Through IoT, embedded, and automation technologies, the Gesture Wave Intelligent Motion System provides an effective, scalable, and dynamic solution that is deployable across various applications, including robotic movement control, self-driving cars, disaster response systems, and factory safety environments. The scope of this technology has



(This work is licensed under a Creative Commons Attribution 4.0 International License.)

International Journal of Engineering Research & Technology (IJERT)
ISSN: 2278-0181
Vol. 14, Issue 05, IIRA 5.0 (2026)

the potential beyond mere vehicle control, paving the way for more complex gesture-based automation applications in the future.

## II. Literature Review

We carried out a comprehensive survey and presented the following findings in our literature review on gesture-controlled systems and IoT technologies. First, Tadigotla, S., Hegde, S., N., R., V., R., S. M., L. and their colleagues came up with a paper that centered on gesture-controlled robotic systems. They employed Bluetooth modules for wireless communication to drive robotic cars, which is in line with the goals of our project. We apply the MPU 6050 sensor in our system for detecting movements, which allow the Gesture Wave Intelligent Motion System to drive the car in left, right, forward, and backward directions as per hand movement.

Secondly, Pachling, D., Kate, S., Vidhate, P., Kapse, D., and Mahale, N. in 2019 suggested a system in which hand gestures controlled an RC car with obstacle avoidance. Although their system is based on motion control, our system involves a master-slave configuration with Arduino Uno in the vehicle and Arduino Nano in the controller to guarantee the effective functioning of the robot vehicle and incorporate further safety features, such as fire and smoke detection.

Then, Patwardhan, M., Lanjewar, H., Rathore, H., Ambekar, H., Laddha, H., and Sharma, H. gave a paper in 2021, wherein they employed wireless hand motion control for robotic car driving. Our system, in contrast, uses the MPU 6050 for 6-axis motion sensing, allowing for more accurate gesture detection and smooth vehicle control, as well as fire safety capabilities through smoke and fire sensors and a water spray pump for hazard reduction.

Zobl, M., Geiger, M., Bengler, K., and Lang, M. in their 2014 paper also dealt with gesture-controlled operation of in-car devices. Their work was the motivation for the gesture-based control paradigm in our system, where gestures from the hand control vehicle movement, but our system extends by including safety mechanisms, like fire and smoke detectors to automatically switch on water pumps upon detection of a hazard.

Finally, Satle, R., Pate, S., and Muyambo, P. in 2023 published their research on gesture-based robotic car systems. Though their interest was in gesture recognition technologies for the control of robots, our system has other practical safety features like fire detection, smoke sensors, water spray pumps, and alarm systems, which provide real-time feedback to the drivers and passengers for safety.

## III. Methods and Materials

### III.1 System Components

- MPU 6050: Utilized in the controller to sense 6-axis motion.
- Arduino Uno: Used in the car unit to regulate movements.
- Arduino Nano: Used in the controller unit for gesture processing.
- Four Motors: Enable movement in forward, backward, left, and right directions.
- Fire and Smoke Sensors: Sense fire or smoke inside or near the car.
- Relay and Pump: Spray water if fire is detected.
- Rechargeable Battery: Powers the system, with energy efficiency and long life.
- Jumper Male-Female Wires: Makes connections between parts.
- Alarm System: Sounds an audible warning on detecting fire or smoke.
- Master-Slave Communication: Facilitates smooth transmission of data between the controller and car unit.

### III.2 Working Mechanism

- The MPU 6050 sensor captures the movement of the controller (tilt and orientation changes).
- The Arduino Nano reads the sensor data and transmits corresponding signals to the Arduino Uno in the car unit.
- The Arduino Uno receives these signals and engages the corresponding motors for directional movement.



(This work is licensed under a Creative Commons Attribution 4.0 International License.)

International Journal of Engineering Research & Technology (IJERT)
ISSN: 2278-0181
Vol. 14, Issue 05, IIRA 5.0 (2026)

- Fire and smoke sensors scan the environment constantly.
- When fire or smoke is sensed:
  - The relay engages the pump to spray water.
  - The alarm system is engaged to alert the driver and passengers.
- he rechargeable battery provides a continuous power supply, making the system reliable for continuous use.

III.3 Future Enhancements

- Integration into hand gloves or smartwatches for improved user control.
- Enhanced AI-based recognition for more precise gesture commands.
- Advanced IoT connectivity for remote monitoring and control.
- Battery Optimization Techniques to improve energy efficiency and extend device life.

## IV. Result

The system was tested under various conditions to evaluate:

- **Gesture Accuracy**: The system successfully interpreted tilt-based commands with high accuracy.
- **Response Time**: The real-time response of the Arduino Uno ensured smooth motion control.
- **Fire and Smoke Detection**: The system accurately detected hazards and activated the water pump.
- **Alert Mechanism**: The alarm system effectively notified the driver and passengers.
- **Power Efficiency**: The rechargeable battery allowed extended operation without frequent recharging.

To further evaluate the system's reliability, we tested its performance under different environmental conditions like low light conditions, temperature changes, and high-humidity conditions. The findings revealed that the MPU 6050 sensor was stable under detecting gestures, whereas the fire and smoke detectors effectively detected hazards with minimum false alarms.



Fig 4.1 – Prototype

## V. Conclusion

The project successfully deployed an IoT-based gesture control system for motion automation and safety. The system that combined MPU 6050, Arduino Uno, Arduino Nano, fire sensors, and a water pump showed how IoT can be used to improve motion control while also maintaining safety features. The system not only enhances the ease of use with gesture-based control but also improves safety by automatically detecting and reacting to cases of fire hazards. The addition of sensor-based automation renders this system extremely efficient and adaptable to numerous real-world applications, such as autonomous cars, industrial robots, and assistive technology for the disabled. The capability to sense fire and smoke in real time, combined with an automated fire suppression system, renders this system useful in dangerous environments where rapid response is critical.

Future enhancements can be made in wearable controllers, AI-driven enhancements, advanced power management, and cloud-based remote monitoring to further make the system even more intuitive and reliable. Moreover, incorporating edge computing can facilitate quicker decision-making, minimizing the reliance on cloud-based processing. AI-powered predictive analytics could be used to improve gesture recognition accuracy and maximize system efficiency, making user-machine interaction seamless. In total, the Gesture Wave Intelligent Motion System offers a new way to gesture-controlled automation, providing a



(This work is licensed under a Creative Commons Attribution 4.0 International License.)

International Journal of Engineering Research & Technology (IJERT)
ISSN: 2278-0181
Vol. 14, Issue 05, IIRA 5.0 (2026)

powerful, scalable, and efficient solution for smart mobility and safety applications. With the future of IoT in mind, such systems have the potential to revolutionize automation and human-machine interaction, making everyday tasks more seamless and secure.

## VI. References

1. International Journal of Innovative Technology and Exploring Engineering( IJITEE).( 2019, December). Volume- 9 Issue- 2. ISSN 2278-3075( Online). reacquired from https://www.google.com/url?sa=t&source=web&rct=j&opi=89978449&url=https://www.ijitee.org/wp-content/uploads/papers/v9i2/B7185129219.pdf&ved=2ahUKEwjHvJbnspCKAxUTT2wGHZ5MLgQ4RhAWegQIFBAB&usg=AOvVaw2JfinlA2sC7s-7lJeEtyQS

2. Swain, B.K., & Bhoi, A.K.( 2023). Single andMulti- Hand Gesture predicated Soft Material Robotic Car Control. International Conference on Machine Learning and Data Engineering( ICMLDE 2023). reacquired from https://www.google.com/url?sa=t&source=web&rct=j&opi=89978449&url=https://www.sciencedirect.com/science/article/pii/S1877050924009694&ved=2ahUKEwjHvJbnspCKAxUTT2wGHZ5MLgQ4RhAWegQIEhAB&usg=AOvVaw1a8MK17PE63xm-JhdrT4Nr

3. International Journal of Advanced Research in Science, Communication and Technology( IJARSCT).( 2023, December). Volume 3, Issue 1. Hand Gesture Control Robot. reacquired from https// ijarsct.co.in/ Paper14072.pdf

4. Oudah, M., Al- Naji, A., & Chahl, J.( 2020, July 23). Hand Gesture Recognition predicated on Computer Vision A Review of ways. Published in PMC. reacquired from https://pmc.ncbi.nlm.nih.gov/articles/PMC8321080/

5. Tinkerer Driven News.( 2014, June). Hand Gestures to Control Infotainment Equipment in motorcars. reacquired from https://www.google.com/url?sa=t&source=web&rct=j&opi=89978449&url=https://www.repairerdrivennews.com/wp-content/uploads/2022/09/IV14.pdf&ved=2ahUKEwi2jYavspCKAxX-SmwGHTgfC644PBAWegQIGhAB&usg=AOvVaw3irFT3Fj7KjVIr-lfNPLOW

6. International Journal of Research in Engineering, Science and Management.( 2019, October). Volume- 2, Issue- 10. Gesture Controlled Vehicle System. reacquired from https://www.google.com/url?sa=t&source=web&rct=j&opi=89978449&url=https://www.ijresm.com/Vol.2_2019/Vol2_Iss10_October19/IJRESM_V2_I10_30.pdf&ved=2ahUKEwi89MOTspCKAxXRd2wGHcjGDLo4MhAWegQIERAB&usg=AOvVaw2nYzB7Iv5d-jN-allSlmig

7. Zobl, M., Geiger, M., Bengler, K., & Lang, M.( 2014, June). A Usability Study on Hand Gesture Controlled Operation of In- bus bias. Technical University of Munich, Germany. reacquired from https// mediatum.ub.tum.de/croaker1138277/ 984026. pdf

8. Tadigotla, S., Hegde, S., R, N., V, R., M, S., & M L, S.( 2020). Gesture Controlled Robotic bus Using Bluetooth Module. International Journal of Scientific Research in Science, Engineering and Technology( IJSRSET). reacquired from https://www.google.com/url?sa=t&source=web&rct=j&opi=89978449&url=https://ijsrset.com/paper/8120.pdf&ved=2ahUKEwi89MOTspCKAxXRd2wGHcjGDLo4MhAWegQICxAB&usg=AOvVaw2rPBC9Sv-R7jdixqwNxswW

9. Patwardhan, M., Lanjewar, H., Rathore, H., Ambekar, H., Laddha, H., & Sharma, H.( 2021). Robotic bus with Wireless Hand Motion Control. Vishwakarma Institute of Technology, Pune, Maharashtra, India. reacquired from https://www.google.com/url?sa=t&source=web&rct=j&opi=89978449&url=https://ymerdigital.com/uploads/YMER2111DB.pdf&ved=2ahUKEwjz8cPUsZCKAxUqTGwGHWPhAKI4KBAW



(This work is licensed under a Creative Commons Attribution 4.0 International License.)

International Journal of Engineering Research & Technology (IJERT)
ISSN: 2278-0181
Vol. 14, Issue 05, IIRA 5.0 (2026)

egQICxAB&usg=AOvVaw1BLBlE34K5hdI9q-Gknuiz

10. Pachling, D., Kate, S., Vidhate, P., Kapse, D., & Mahale, N.( 2021). RC Car Control with Hand Gesture and Obstacle Avoidance. International Research Journal of Engineering and Technology( IRJET). reacquired from https://www.google.com/url?sa=t&source=web&rct=j&opi=89978449&url=https://www.irjet.net/archives/V11/i2/IRJET-V11I296.pdf&ved=2ahUKEwjz8cPUsZCKAxUqTGwGHWPhAKI4KBAWegQIERAB&usg=AOvVaw1H8nwjtrzRdXN_Lk51ek7P

11. International Journal of Advanced Research in Science, Communication and Technology( IJARSCT).( 2022, May). Volume 2, Issue 8. Gesture Controlled Robotics Hand. reacquired from https://www.google.com/url?sa=t&source=web&rct=j&opi=89978449&url=https://ijarsct.co.in/Paper4500.pdf&ved=2ahUKEwiXm-7FsZCKAxWZUGwGHRf_E6c4HhAWegQIExAB&usg=AOvVaw0DQ-F4C8v1Lp67AJEWW_Z

12. International Journal of Research Publication and Reviews.( 2021). Hand Gesture Controlled Robot. reacquired from https://www.google.com/url?sa=t&source=web&rct=j&opi=89978449&url=https://ijrpr.com/uploads/V2ISSUE9/IJRPR1356.pdf&ved=2ahUKEwiFpJmfsZCKAxWgdmwGHQELJjs4FBAWegQIDxAB&usg=AOvVaw0xhLZVrLZo63zaNCkCpVbR

13. International Journal for Research in Applied Science & Engineering Technology( IJRASET).( 2023, October). Volume 11, Issue X. Gesture Controlled Robot Car. reacquired from https://www.google.com/url?sa=t&source=web&rct=j&opi=89978449&url=https://www.ijraset.com/best-journal/gesture-controlled-robot-car&ved=2ahUKEwiFpJmfsZCKAxWgdmwGHQELJjs4FBAWegQIFhAB&usg=AOvVaw3ZZNFLDPoFiRFtFHiR6FHc

14. Sathyabama Institute of Science and Technology.( 2022). Hand Gesture Controlled Smart Car. reacquired from https// sist.sathyabama.ac.in/sistnaac/ aqar_2022_2023/ documents/ 1.3.4/ b.e- eee-batchno- 35. pdf

15. International Journal of Engineering Research & Technology( IJERT).( 2022, July). Vehicle Controlled by Hand Gesture Using boo Pi. reacquired from https://www.google.com/url?sa=t&source=web&rct=j&opi=89978449&url=https://www.irjet.net/archives/V9/i7/IRJET-V9I7125.pdf&ved=2ahUKEwiFpJmfsZCKAxWgdmwGHQELJjs4FBAWegQIDhAB&usg=AOvVaw2FpYZP-4KZHTKvzp1vXE8n

16. International Journal of Engineering Research & Technology( IJERT).( 2020, June). AI-powered Hand Gesture Control Vehicle. reacquired from https://www.google.com/url?sa=t&source=web&rct=j&opi=89978449&url=https://www.ijert.org/research/ai-power-hand-gesture-control-vehicle-IJERTV9IS060943.pdf&ved=2ahUKEwiFpJmfsZCKAxWgdmwGHQELJjs4FBAWegQIDBAB&usg=AOvVaw1qefosEc9SfwrdE4qTJ9OH

17. JETIR.( 2019, June). Hand Gesture Controlled Robotic Vehicle Using Accelerometer. Journal of Emerging Technologies and Innovative disquisition. reacquired from https://www.google.com/url?sa=t&source=web&rct=j&opi=89978449&url=https://www.jetir.org/papers/JETIR1906G93.pdf&ved=2ahUKEwix56b2sJCKAxUnWGwGHblCBbA4ChAWegQIGBAB&usg=AOvVaw3zP0Sndhj11e1yTRosNzWm

18. IEEE.( 2017). Hand Gesture Controlled Car Using Bluetooth Modules and Accelerometer Sensor. reacquired from https://www.google.com/url?sa=t&source=web&rct=j&opi=89978449&url=https://ieeexplore.ieee.org/document/10083843/&ved=2ah



(This work is licensed under a Creative Commons Attribution 4.0 International License.)

International Journal of Engineering Research & Technology (IJERT)
ISSN: 2278-0181
Vol. 14, Issue 05, IIRA 5.0 (2026)

UKEwix56b2sJCKAxUnWGwGHblCBbA4ChAWegQIERAB&usg=AOvVaw2MxGmSdg1PS72-gFVs3Msl

19. International Journal of Electrical and Electronics Research.( 2017, April). Hand Gesture Controlled Robot. reacquired from https://www.google.com/url?sa=t&source=web&rct=j&opi=89978449&url=https://www.researchpublish.com/upload/book/Hand%2520Gesture%2520Controlled%2520Robot-4566.pdf&ved=2ahUKEwix56b2sJCKAxUnWGwGHblCBbA4ChAWegQIDBAB&usg=AOvVaw2GSd2pOutcKDSBKv3OeHV-

20. International Research Journal of Modernization in Engineering Technology and Science.( 2023, May). Hand Gesture Controller Robot Car Using Arduino. reacquired from https// www.irjmets.com/uploadedfiles/paper//issue_5_may_2023/40229/final/fin_irjmets1685025056.pdf

21. International Journal of Engineering Research & Technology( IJERT).( 2020, November). Hand Gesture Controlled Robot. reacquired from https//www.ijert.org/research/hand-gesture-controlled-robot-IJERTV9IS110014.pdf



(This work is licensed under a Creative Commons Attribution 4.0 International License.)