Published by :
https://www.ijert.org/
An International Peer-Reviewed Journal

International Journal of Engineering Research & Technology (IJERT)
ISSN: 2278-0181
Vol. 15 Issue 10 , October - 2026

Multi-Modal AI-Powered Crop Health Monitoring and Real-Time Diagnostic System

Sakthianandham .V
M.E CSE
Kings College of Engineering, Punalkulam
Pudukkottai, India

Dr. S. M Uma
Prof. Dept of CSE
Kings College of Engineering, Punalkulam
Pudukkottai, India

***Abstract* – In modern precision agriculture, early plant pathology identification and rapid diagnostic decision-making areparamount to preventing catastrophic crop loss and securing food production. This project presents a Multi-Modal AI-Powered Crop Health Monitoring, Pathology Indexing, and Real-Time Diagnostic System designed for agricultural practitioners. The core engine integrates advanced computer vision using OpenCV for HSVcolor space segmentation alongside YOLOv8 deep learning instance segmentation to perform accurate leafnomaly extractions. By systematically quantifying infected leaf areas against total surface area, the system computes the Disease Severity Index (DSI %) and classifies pathogen strains, including Bacterial Leaf Blight,Powdery Mildew, and Yellow Leaf Spot, in real time. The application features a modular desktop interface built with Python and Tkinter, facilitating smooth image and continuous video stream processing with stabilized frame rates. To bridge technical diagnostic outputs with end-user accessibility, the system incorporates dynamic bilingual report generation in both English and Tamil. Furthermore, a thread-optimized Text-to-Speech (TTS) voice engine delivers real-time localized agronomic advice, contagion risk indicators, and precautionary recommendations without interface latency. Overall, this multi-modal diagnostic engineprovides a transparent, efficient, and scalable solution for precision crop health indexing and automated field diagnostics.**

Keywords - Crop Health Monitoring, YOLOv8 Instance Segmentation, OpenCV HSV Color Space, Disease Severity Index (DSI %), Text-to-Speech (gTTS), Tkinter GUI, Precision Agriculture.

I. INTRODUCTION

Agriculture serves as the backbone of global socio-economic stability, supporting human sustenance and driving economic development. However, crop yield and quality are perpetually threatened by plant pathogens,including bacteria, fungi, and viruses. Traditional crop disease detection relies heavily on manual, visual inspection by agricultural experts or farmers. This process is time-consuming, highly subjective, labor- intensive, and prone to human error, often leading to misdiagnoses and delayed intervention. By the timevisual symptoms become blatantly obvious to the naked eye, pathogen contagion has typically spread across extensive field acreage, resulting in severe yield losses and economic damage.To overcome these challenges, modern precision agriculture leverages artificial intelligence (AI), high-resolution computer vision, and real-time audio-visual interaction. This project introduces a Multi-Modal AI-Powered Crop Health Monitoring, Pathology Indexing, and Real-Time Diagnostic System. Designed as a high-performance desktop application, the system bridges deep learning-based object localization with rule-based color-space segmentation. By accepting both static images and live video feeds, the system isolates infected leaf regions, calculates a precise Disease Severity Index (DSI %), classifies pathogen strains, and generatesinstant, bilingual (English and Tamil) diagnostic reports accompanied by real-time voice assistance..

A. OpenCV Color Space Segmentation

Standard RGB images are highly sensitive to illumination fluctuations, shadows, and outdoor glare, makingdirect color analysis unreliable for field deployment. The system transforms standard RGB frames into theHSV (Hue, Saturation, Value) color space using OpenCV. The HSV model isolates chromatic information(Hue) from brightness (Value), allowing the system to consistently isolate healthy leaf surfaces from diseased foliage regardless of ambient lighting. Healthy green foliage is isolated within Hue 20° to 90°, while chlorotic/infected regions are isolated within Hue 10° to 35°.

B. Anomaly Localization via YOLOv8

The system integrates YOLOv8 (You Only Look Once Version 8), a state-of-the-art deep learning architectureoptimized for real-time object detection and instance segmentation. YOLOv8 treats object localization as a single regression problem, processing full image frames in a single forward pass. It achieves inference speeds of 28 to 32 FPS on standard computing hardware, handling complex background noise, overlapping leaves,and partial occlusions.

C. Disease Severity Index (DSI %)

The Disease Severity Index (DSI %) is calculated as the ratio of infected leaf pixels (P_diseased) to total leafsurface pixels (P_healthy + P_diseased) expressed as a percentage: DSI (%) = (Infected Area / Total LeafArea) * 100. Severity levels are categorized into Healthy (0% DSI), Mild Infection (1%-15% DSI), ModerateInfection (16%-40% DSI), and Severe Infection (>40% DSI).

D. Bilingual Reporting and Voice Engine

To bridge the accessibility divide in rural farming communities, the application features an automated Bilingual Reporting Engine (English and Tamil) paired with an asynchronous thread-optimized gTTS (GoogleText-to-Speech) and Pygame audio playback engine, delivering spoken advice in Tamil with latency below 1.5 seconds

(This work is licensed under a Creative Commons Attribution 4.0 International License.)

International Journal of Engineering Research & Technology (IJERT)
ISSN: 2278-0181
Vol. 15 Issue 10 , October - 2026

II. LITERATURE SURVEY

A. *Deep Learning for Plant Disease Detection: A ReviewEvaluates various CNN architectures and preprocessing methodologies for leaf lesion classification. (Authors:S. S. Chouhan et al. (2020, Springer))*

Advantages: Establishes a strong theoretical backbone framework for leaf classification.

Drawbacks: Lacks real-time instance segmentation, DSI % calculation, and voice feedback.

B. *Real-Time Crop Disease Detection Using YOLOv8Demonstrates YOLOv8 instance segmentation for leaf anomaly localization at high frame rates (>30 FPS).(Authors: R. Kumar et al. (2023, IEEE Access))*

Advantages: High inference speed on localized hardware and handles overlapping leaves.

Drawbacks: Lacks quantitative color degradation metrics and multilingual voice feedback.

C. *Quantifying Plant Disease Severity Index Using Color-Space Proposes HSV color space thresholding for calculating DSI % on chlorotic and necrotic leaf areas. (Authors:M. A. Patil et al. (2021, Elsevier))*

Advantages: Exact mathematical area quantification; invariant to lighting fluctuations.

Drawbacks: Sensitive to background noise without prior deep learning leaf segmentation.

D. *Automated Agricultural Pathology Indexing Using Hybrid AI Combines deep feature extraction with rule-based color mapping for early and late stage pathology. (Authors:J. Chen et al. (2022, Frontiers in Plant Science))*

Advantages: Reduces false positive rates and categorizes disease stages effectively.

Drawbacks: High computational resource requirements; lacks user GUI and voice delivery.

E. *Multimodal AI Frameworks for Intelligent Farming Explores multi-modal AI systems processing visual inputs alongside environmental metadata. (Authors: A. K.Singh et al. (2023, IEEE))*

Advantages: Enhances decision accuracy and recommendation transparency.

Drawbacks: Requires continuous cloud connectivity; lacks localized Tamil voice assistance

III. SYSTEM ANALYSIS

The proposed architecture integrates five core modules:1. Data Acquisition Module: Ingests high-resolution images or real-time camera video streams.2. Pre-Processing Module: Converts RGB inputs to HSV color space with adaptive denoising filters.3. AI Disease Diagnosis Engine: Employs YOLOv8 instance segmentation for accurate leaf boundary extraction.4. Severity Indexing Module: Executes pixel-by-pixel area ratio calculations for exact DSI % scoring.5. Tamil Voice Advisory Module: Synthesizes dynamic Tamil speech using gTTS and plays synthesizedadvisories via Pygame.

A. *Hardware and Software Requirements*

Hardware: Intel Core i5/i7 10th Gen Processor, 8GB/16GB RAM, 50GB SSD, NVIDIA GTX 1650 (Optional CUDA acceleration), standard webcam and speakers.Software: Python 3.8-3.10, Ultralytics YOLOv8, OpenCV (opencv-python), NumPy, Pandas, gTTS, Pygame,Tkinter GUI, Visual Studio Code.

The template is used to format your paper and style the text. All margins, column widths, line spaces, and text fonts are prescribed; please do not alter them. You may note peculiarities. For example, the head margin in this template measures proportionately more than is customary. This measurement and others are deliberate, using specifications that anticipate your paper as one part of the entire proceedings, and not as an independent document. Please do not revise any of the current designations.

IV. IMPLEMENTATION

A. YOLOv8 Instance Segmentation: Extracts spatial feature maps via CSPDarknet backbone and PAN neck,outputting leaf bounding boxes and pixel-level binary masks.

B. OpenCV HSV Thresholding: Decouples chromaticity from luminance to segment chlorotic yellowing and necrotic brown spots.

C. Pixel-Level DSI Calculation: DSI % = (Infected Area / Total Leaf Area) * 100.

D. Async Tamil Speech Allocation: Formats bilingual diagnosis string, invokes gTTS API asynchronously,caches local MP3 file, and plays audio via Pygame hardware channels.

V. EXPERIMENTAL RESULTS AND DISCUSSIONS

A. *The system was benchmarked across various diagnostic scenarios involving single leaf uploads and real-timelive video feeds. Average pipeline execution speed remained under 3 seconds per image on standard workstation CPUs.*

VI. CONCLUSION AND FUTURE ENHANCEMENTS

- *The Multi-Modal Crop Health Diagnostic System combines YOLOv8 deep learning instance segmentation,*
- *OpenCV HSV pathology isolating filters, quantitative DSI % mathematical formulation, and thread-optimized*
- *Tamil audio advisories. Future work includes lightweight model quantization (YOLOv8-nano/TFLite) for*
- *offline mobile field deployment, IoT micro-climate sensor integration, and multi-language conversational AI*

.

(This work is licensed under a Creative Commons Attribution 4.0 International License.)

International Journal of Engineering Research & Technology (IJERT)
ISSN: 2278-0181
Vol. 15 Issue 10 , October - 2026

REFERENCES

[1] S. S. Chouhan, A. Kaul, U. P. Singh, and S. Jain, 'Deep learning for plant disease detection: A review,'Springer, 2020.
[2] R. Kumar, V. Sharma, and P. Gupta, 'Real-Time Crop Disease Detection Using YOLOv8 and ImageProcessing,' IEEE Access, 2023.
[3] M. A. Patil and S. R. Deshmukh, 'Quantifying Plant Disease Severity Index Using Color-SpaceSegmentation,' Elsevier, 2021.
[4] J. Chen, X. Zhang, and L. Wang, 'Automated Agricultural Pathology Indexing Using Hybrid DeepLearning Models,' Frontiers in Plant Science, 2022.
[5] A. K. Singh and R. B. Mishra, 'Multimodal AI Frameworks for Intelligent Farming,' IEEE, 2023.
[6] G. Jocher, A. Chaurasia, and J. Qiu, 'YOLOv8 by Ultralytics,' GitHub Repository, 2023.
[7] G. Bradski, 'The OpenCV Library,' Dr. Dobb's Journal of Software Tools, 2000.
[8] W. Alexis, 'gTTS: Google Text-to-Speech Python Library,' GitHub Repository, 2016.
[9] S. Shin, 'Pygame: SDL interface for Python,' Pygame Documentation, 2011.
[10] S. P. Mohanty et al., 'Using deep learning for image-based plant disease detection,' Frontiers in PlantScience, 2016.

(This work is licensed under a Creative Commons Attribution 4.0 International License.)