

# SafePress: An AI-Powered National Safety Ecosystem for India

Integrating Road Safety, Women Protection, Disaster AI, and Vehicle Intelligence Module (VIM) on a Unified Platform, Autonomous Drone surveillance

Sameer Sourav, Sk Manjur Alam, Sahil Sourav  
Haridwar University, Roorkee - 247667  
Internal Guide: DR. Rohit Kumar, HoD-CA

**Abstract** - India records over 1,77,000 road deaths annually, with 53% attributed to delayed emergency response. Existing systems such as Dial 112 are reactive, human-dependent, and fail to address the prevention dimension of road safety. This paper proposes SafePress, an AI-powered, unified national safety and incident response ecosystem designed to address India's most critical public safety crises: road accident fatalities, delayed emergency response, women's safety on highways, child safety, landslide disasters, and connectivity failures in zero-network zones. SafePress integrates six operational modules - Emergency Response AI, Ambulance Route Optimizer with Green Corridor, NARI Women & Child Safety Module, Landslide & Disaster AI Early Warning System, Satellite Communication Module, and AI Traffic Control - on a single unified platform. This paper additionally introduces the Vehicle Intelligence Module (VIM), a novel in-vehicle edge AI system powered by NVIDIA Jetson Nano, which provides dual-layer detection by combining road-side AI with onboard vehicle intelligence. VIM enables crash detection, driver behaviour monitoring, and real-time emergency triggering even in zero-camera zones, making SafePress the first proposed fail-proof hybrid safety intelligence system for India. Projected outcomes include a 50% reduction in road fatalities within 24 months, saving over 85,000 lives annually and Rs. 3.46 lakh crore in GDP losses.

**Keywords** - AI safety ecosystem; road accident prevention; emergency response; NARI women safety; Vehicle Intelligence Module; edge AI; green corridor; landslide prediction; satellite communication; smart traffic control

GDP terms, representing lost productivity, medical expenditure, and infrastructure damage [2].

Beyond road accidents, India's highways witness over 1,07,000 women safety incidents annually, with an estimated 80% going unreported due to the absence of immediate response infrastructure [3]. Mountain highway corridors in states such as Uttarakhand, Himachal Pradesh, and Arunachal Pradesh experience recurrent landslide disasters with no early warning systems in place. Critically, 35-40% of the National Highway network falls within mobile network dead zones, rendering conventional emergency communication systems entirely ineffective in those corridors.

Existing national emergency infrastructure - primarily Dial 112 - is reactive by design: it requires a conscious human action to initiate any emergency response. In the majority of severe road accidents, this assumption fails entirely. Victims are incapacitated, phones are destroyed, or network coverage is absent. Every minute of delayed response in this window translates directly into preventable fatalities.

This paper proposes SafePress: a proactive, autonomous, AI-powered national safety ecosystem that eliminates dependency on victim action. The system integrates computer vision, IoT sensor networks, satellite communication, autonomous drone fleets, and predictive analytics into a single unified platform spanning six operational modules. The paper further introduces the Vehicle Intelligence Module (VIM) - a novel contribution that installs edge AI directly inside vehicles, creating a dual-layer detection architecture that remains operational even when roadside camera infrastructure is absent or fails.

## I. INTRODUCTION

India is confronting a public safety emergency of national scale. With over 1,77,000 road deaths recorded in 2023 - more than 485 fatalities every single day - India holds the unenviable position of highest absolute road fatality count globally, accounting for approximately 11% of the world's road deaths while possessing only 1% of the world's vehicles [1]. The economic cost of road accidents is estimated at Rs. 5.96 lakh crore annually in

## II. PROBLEM STATEMENT AND BACKGROUND

### A. Road Accident Statistics in India

India's road accident data, compiled by the Ministry of Road Transport and Highways (MoRTH), demonstrates a consistently worsening trajectory. The 18-34 age demographic accounts for 70% of all road accident victims - India's most economically productive working population [2].

Year	Total Road Accidents	Total Fatalities	Deaths / Day
2022	4,61,312~	1,68,491	461
2023	4,83,000~	1,71,100	468
2024	5,10,000~	1,77,000	485
2025 (est.)	5,35,000~	1,82,000	498

**Table I: Annual Road Accident Statistics - India (MoRTH Data)**

### B. Women and Child Safety on Highways

National Crime Records Bureau (NCRB) data reveals an accelerating crisis of crimes against women in transit environments. Key findings include: 35% of women report feeling unsafe during commute, 65% avoid solo travel after 8 PM, and the average emergency response time to a women's SOS call exceeds 72 minutes in highway settings [3].

Year	Harassment Cases	Public Transport Incidents	Safety Index (%)
2022	35,391	12,400+	52.1%
2023	38,200	14,100	48.1%
2024	41,500~	16,800	44.4%
2025 (est.)	44,000+	19,200	40.1%

**Table II: Women Safety Statistics on Indian Highways (NCRB Data)**

### C. The Golden Hour Problem

Medical research establishes that trauma victims have the highest probability of survival when definitive care is delivered within 60 minutes of injury - universally designated the 'golden hour' [4]. Studies indicate that 53% of road accident deaths in India occur due to delayed emergency response rather than the severity of injury itself. Average ambulance response time in urban centres ranges from 18 to 22 minutes; in rural and highway settings, this frequently exceeds 40 minutes. SafePress targets a response time of under 9.2 minutes through AI-driven dispatch and automated green corridor activation.

### D. Zero-Network Coverage Gap

Approximately 35-40% of India's National Highway network - particularly across Uttarakhand, Himachal Pradesh, Jammu & Kashmir, Arunachal Pradesh, and border districts - falls within mobile network dead zones [5]. In these corridors, accident victims cannot call for help, emergency services cannot be dispatched, and surveillance systems cannot transmit data. This represents a structural gap that no existing emergency system addresses.

### III. COMPARATIVE ANALYSIS: SAFEPRESS VS. DIAL 112

Table III provides a comprehensive comparison between the existing national emergency infrastructure and the proposed SafePress ecosystem across all critical operational parameters. The fundamental paradigm shift that SafePress introduces is the transition from a victim-initiated reactive system to an infrastructure-initiated proactive system, eliminating the single largest failure point of existing emergency response architecture.

Parameter	Dial 112	SafePress
<b>Core Approach</b>	Responds after incident	Proactive + Preventive System
<b>Accident Detection</b>	Manual	Automatic (AI)
<b>Response Time</b>	Delayed - Not Automatic	Instant detection & alert
<b>Human Dependency</b>	High	Minimal
<b>Ambulance Routing</b>	Basic GPS routing	AI-optimized + green corridor
<b>Signal Control</b>	No direct integration	Smart override (green corridor)
<b>Predictive Analysis</b>	No prediction	Predicts high-risk zones
<b>Rural Area Coverage</b>	Moderate (network dependent)	IoT + Satellite integration
<b>Accident Prevention</b>	No	Core feature
<b>Golden Hour Efficiency</b>	Often missed	Maximized via instant response
<b>Innovation Level</b>	Conventional system	Disruptive + Futuristic Solution

**Table III: SafePress vs. Dial 112 – Comprehensive Comparison**

### IV. THE SAFEPRESS SOLUTION ARCHITECTURE

#### A. Vision and Mission

**Vision:** To create India's safest transportation and public infrastructure network by 2030, achieving a 50% reduction in road fatalities and establishing a zero-tolerance environment for crimes against women in public spaces through AI-powered predictive safety systems.

**Mission:** Deploy a unified, AI-powered national safety ecosystem that reduces road fatalities by 50% within 24 months of deployment, eliminates the response gap in women and child emergencies, and covers 100% of India's National Highway corridors including zero-network zones.

## B. System Architecture

The SafePress architecture follows a five-layer processing pipeline: Data Collection -> Edge Computing -> AI Processing -> Decision Engine -> Response Layer. Layer 1 collects data from AI-enabled CCTV cameras, IoT sensors, GPS modules, satellite feeds, VIM dashcam units, and citizen panic buttons. Layer 2 edge computing via NVIDIA Jetson Nano reduces bandwidth requirements by 70-80% while enabling sub-second local inference. Layer 3 applies computer vision models (YOLO v8), sensor fusion algorithms, and behavioural analysis engines. Layer 4 severity scoring (Minor, Moderate, Major, Critical) determines the pre-defined response protocol. Layer 5 dispatches simultaneous alerts to police, ambulance services, hospitals, BRO, and NDRF with fully automated green corridor and drone deployment.

## C. Core Solution Components

SafePress provides a comprehensive solution through eight integrated components: (1) AI-Integrated Camera Surveillance providing continuous monitoring of all highway corridors; (2) IoT Sensor Networks deploying seismic, soil, rainfall, and speed sensors across high-risk zones; (3) AI Decision Engine performing real-time intelligent classification and severity scoring; (4) Real-time Alert System dispatching instant multi-channel alerts to all relevant authorities; (5) Optimized Emergency Routing providing AI-calculated fastest routes with green corridor activation; (6) Data Intelligence Layer applying big data analytics for pattern detection and hotspot prediction; (7) Autonomous Drone Surveillance Fleet for aerial monitoring and hit-and-run case support; and (8) Role-Based Dashboards for citizens, police, hospitals, BRO, and super administrators.

## V. CORE MODULES - DETAILED DESCRIPTION

### A. Module 1: Emergency Response AI System

The Emergency Response module constitutes the operational backbone of SafePress. AI-enabled CCTV cameras and autonomous drones continuously monitor highways, intersections, and accident-prone zones. Upon detecting abnormal vehicle motion - sudden deceleration, vehicle rollover, collision impact, or debris scatter - the AI pipeline classifies the incident within 5-10 seconds. Four severity levels each trigger a pre-defined response protocol encompassing nearest police station alert, nearest ambulance dispatch, hospital notification, and aerial drone deployment.

### B. Module 2: Ambulance Route Optimizer and AI Green Corridor

This module addresses the single most impactful intervention for reducing accident fatalities. The Green Corridor feature - traditionally requiring manual radio coordination - is fully automated by SafePress. Traffic

signals along the ambulance route turn green in sequence, clearing the path 90-120 seconds before the ambulance arrives at each intersection. Table IV presents the projected response time improvements by region:

City / Region	Current Avg. Response (min)	SafePress Target (min)	Lives Saved / Year
Delhi	12	5.5	~3,200
Mumbai	15	7	~2,800
Lucknow	22	10	~1,900
Patna	28	13	~2,400
Rural NH (avg.)	42	20	~8,600
Hill Highways	55+	25	~5,400

Table IV: Ambulance Response Time Targets by Region

### C. Module 3: NARI Women and Child Safety Module

The NARI (National AI Response Infrastructure) module is a dedicated safety layer for women and children travelling on highways, public transport, and isolated roads. Core capabilities include: AI-based threat detection identifying suspicious behavioural patterns; single-press panic button with automatic location sharing; AI-recommended safe routes; silent SOS via discrete gesture recognition; and crowdsourced real-time warnings. The module targets a reduction in average women's emergency response time from the current 72+ minutes to under 90 seconds.

### D. Module 4: Landslide and Disaster AI Early Warning System

The Landslide AI module deploys seismic sensors, soil moisture probes, rainfall gauges, and slope stability monitors along identified high-risk stretches. AI models generate probability scores updated every 60 seconds across three alert levels: Yellow (elevated risk - increased monitoring), Orange (highway advisory - speed restriction), and Red (imminent risk - highway closure with automatic diversion activation).

### E. Module 5: Satellite Communication Module

SafePress addresses the zero-network gap through ISRO's NavIC constellation integration, VSAT nodes at toll plazas and BRO camps, LoRaWAN mesh networks, and NB-IoT sensor connectivity. The module targets 98% National Highway corridor coverage regardless of commercial mobile network availability.

### F. Module 6: AI Traffic Control System

The AI Traffic Control module provides dynamic signal timing reducing intersection wait time by 25-35%,

automatic emergency vehicle pre-emption for ambulances and fire trucks, 15–30 minute advance congestion prediction, real-time accident hotspot warnings to drivers via navigation applications, and anonymised FASTag vehicle flow data for traffic modelling.

## VI. VEHICLE INTELLIGENCE MODULE (VIM) - NOVEL CONTRIBUTION

### A. Introduction and Motivation

While SafePress's roadside AI infrastructure provides powerful coverage across highway corridors, a critical vulnerability persists: accidents occurring in zones without camera coverage, in tunnels, at night in unlit rural stretches, or precisely during roadside camera failure. The Vehicle Intelligence Module (VIM) addresses this gap by embedding edge AI directly inside the vehicle, creating a self-contained detection and reporting unit that operates independently of external infrastructure.

VIM transforms any vehicle into an intelligent safety node within the SafePress ecosystem. This creates a dual-layer detection architecture where every vehicle both benefits from and contributes to the national safety network - making SafePress the first proposed fail-proof hybrid intelligence safety system for India's transportation corridors.

### B. VIM Core Capabilities

#### 1. Real-Time Crash Detection (Inside Vehicle)

- Dual-sensor crash detection combining computer vision (cabin/road-facing dashcam) with accelerometer/gyroscope data for instant impact verification
- Operates independently of road cameras - functional in tunnels, rural stretches, mountain passes, and all zero-camera zones
- Crash severity scoring based on deceleration force (G-force measurement), video frame analysis, and airbag deployment signals
- Reduces crash-to-alert latency from the current average of 15-20 minutes to under 10 seconds.

#### 2. Driver Behaviour Monitoring (Prevention Layer)

- Drowsiness Detection: Eye closure duration analysis using facial landmark detection; alerts driver and notifies SafePress control centre after threshold breach
- Mobile Usage Detection: Computer vision identifies handheld phone usage while vehicle is in motion; triggers immediate in-cabin alert
- Seatbelt Compliance Monitoring: Real-time detection of unbelted occupants with continuous alert until compliance is achieved
- Distraction Analysis: Head pose estimation detects eyes-off-road events; graduated alert system (audible, haptic, emergency flag)

- Rash Driving Flagging: Speed variance, hard braking frequency, and aggressive lane-change detection feed a driver risk score transmitted to SafePress

### 3. Instant Emergency Trigger and SafePress Integration

- Upon crash detection, VIM autonomously transmits to the SafePress control system: (a) GPS coordinates with accuracy to within 3 metres, (b) Vehicle ID and registered owner details, (c) 5-10 second pre-crash and post-crash video clip for severity assessment, (d) Crash severity score for automated ambulance tier selection
- Transmission utilises available connectivity in priority order: 4G/5G cellular, LoRaWAN mesh, satellite uplink - ensuring delivery even in zero-mobile-network zones
- No dependency on driver or passenger action - VIM operates autonomously from crash detection through emergency dispatch

### 4. VIM Hardware Architecture

The VIM hardware stack is designed for cost-effective mass deployment across India's vehicle fleet:

- Primary Processing Unit: NVIDIA Jetson Nano (or equivalent edge AI processor) providing sufficient compute for real-time inference of YOLO object detection and facial landmark models at 30 FPS
- Camera Array: Dual dashcam configuration -forward-facing road camera (4K, wide angle) and cabin-facing IR camera for occupant monitoring in all lighting conditions
- Motion accelerometer/gyroscope (IMU) for crash force measurement, sudden deceleration detection, and rollover identification
- GPS Module: High-accuracy GNSS receiver with NavIC support for India-specific positioning in mountain and border regions.
- Communication Module: Multi-band radio supporting 4G/5G, LoRaWAN, and satellite uplink for connectivity in all environments

#### D. VIM Software Stack

- Computer Vision: YOLO v8 + OpenCV for real-time object detection, lane departure, and collision warning
- Facial Analysis: MediaPipe / OpenCV-based facial landmark detection for drowsiness and distraction monitoring
- Deep Learning Inference: TensorRT-optimised models for low-latency on-device execution without cloud dependency
- Edge AI Framework: TensorFlow Lite / PyTorch Mobile for model deployment on constrained hardware
- SafePress API Integration: RESTful API connection to SafePress backend for event reporting, alert receipt, and over-the-air model updates

#### E. Dual Detection Architecture and Advantage

VIM integrates into SafePress through a parallel data stream feeding into a unified Data Fusion and Verification layer: [Road Cameras] + [VIM Dashcam] -> Event Detection (Dual Sources) -> Data Fusion & Verification -> Emergency Dispatch. Data fusion cross-validates detections from both sources, reducing false positive rates to 3-5% for confirmed events while ensuring events detected by only one source are still actioned. Table V summarises the dual detection advantage:

Scenario	Without VIM	With VIM (SafePress)	Result
No camera zone	No detection	Vehicle detects crash	Full coverage
Camera failure	Missed accident	Backup detection active	Zero missed events
Hidden accident	Delayed response	Instant alert	Golden hour preserved
Unsafe driver	Not covered	Prevented by AI alert	Accident prevented
Night / low visibility	Limited detection	IR + thermal dashcam active	24x7 coverage

Table V: VIM Dual Detection Advantage Comparison

#### VII. TECHNOLOGY STACK

Table VI presents the complete technology stack for the SafePress ecosystem including VIM components. The architecture adopts a microservices design pattern to ensure independent scalability. Apache Kafka handles high-throughput data ingestion from thousands of simultaneous camera and sensor endpoints. Hyperledger Fabric blockchain provides an immutable audit trail for all emergency events, ensuring forensic reliability for legal and insurance purposes.

Component	Technology	Purpose
Object Detection	YOLO v8 + OpenCV	Real-time accident & anomaly detection
Face Recognition	ArcFace / DeepFace	Victim/suspect identity verification
Backend API	Python FastAPI + Node.js	Microservices & real-time WebSocket
Mobile App	Flutter / React Native	Citizen SOS + authority app
Database	PostgreSQL + MongoDB	Structured & unstructured data
Blockchain	Hyperledger Fabric	Immutable audit logs
Cloud / Gov	AWS + NIC GovCloud	Scalable national infrastructure
Satellite	ISRO NavIC + Starlink	Zero-network zone coverage
VIM Hardware	NVIDIA Jetson Nano + Dashcam	Edge AI inside vehicle
VIM Software	TensorRT + YOLO + OpenCV	On-device crash & behaviour detection
Security	AES-256 + OAuth / JWT	Data privacy & secure comms

Table VI: SafePress Complete Technology Stack

#### VIII. SECURITY, PRIVACY, AND LEGAL COMPLIANCE

SafePress is designed for full compliance with India's Digital Personal Data Protection (DPDP) Act, 2023. All personal data collected is purpose-limited, time-bound, and consent-based. The security framework includes: end-to-end AES-256 encryption for all data in transit and at rest; JWT-based token authentication with role-based access control (RBAC); Hyperledger Fabric blockchain audit trail ensuring immutability and forensic traceability; zero-trust network architecture; continuous intrusion detection with automated threat response; and regular third-party penetration testing.

Face recognition is performed exclusively against government-verified identity databases including Aadhaar via DigiLocker API, Driving License via the VAHAN system, and Passport via Ministry of External Affairs API. Video surveillance footage is retained for a maximum of 30 days unless associated with an active incident. VIM data from individual vehicles is transmitted in anonymised form for network-level analytics, with personally identifiable information transmitted only upon confirmed emergency trigger.

## IX. IMPACT ANALYSIS AND PROJECTIONS

### A. Fatality Reduction - Module-Level Attribution

The 50% fatality reduction projection is derived from the combined non-overlapping contributions of each SafePress module: Emergency Response AI contributes 20-25% through detection in under 10 seconds versus 15-20 minute manual reporting; Ambulance Route Optimizer contributes 10-12% by preserving the golden hour; Predictive AI and Geo-fencing contributes 8-10% through incident prevention; the Satellite Module contributes 5-7% by enabling first-ever response in zero-network zones; Landslide Early Warning contributes 3-5% through timely highway closures; and AI Traffic Control contributes 2-4% by reducing congestion-related accidents.

### B. Year-by-Year National Impact Projection

Metric	Baseline 2025	Year 1 (2026)	Year 2 (2027)	Reduction
Annual Road Deaths	~1,72,000	~1,20,000	~84,000	~51%
Women Highway Incidents	~1,07,000	~72,000	~38,000	~64%
Avg. Ambulance Response	18.4 min	11 min	9.2 min	~50%
Zero-Network Coverage	< 20%	65%	98%	+78%
GDP Loss (Road Accidents)	Rs. 5.96L Cr	Rs. 4.1L Cr	Rs. 2.5L Cr	~58%

Table VII: Year-by-Year National Impact Projection

### C. Camera Integration Impact

The camera integration strategy represents the most immediately actionable component. AI integration of existing cameras and new smart camera deployment combined is projected to save 23,000-32,000 lives per year before contribution from any other SafePress module. This figure is derived from simulation data, international precedent (EU eCall Regulation impact studies), and MoRTH accident black spot analysis.

Impact Metric	Existing Camera Upgrade	New Camera Deployment
Incident detection speed	Hours to < 10 seconds	Zero to < 10 seconds
Response time reduction	40-50%	Enables first-ever response
Lives saved (cam only)	15,000-20,000 / year	8,000-12,000 / year
Women SOS improvement	72 min to under 5 min	Covers zero-response zones

Table VIII: Camera Integration Quantified Impact

## X. CHALLENGES, LIMITATIONS, AND MITIGATION

The primary implementation challenges and corresponding mitigation strategies are: Privacy concerns over large-scale surveillance are addressed through full DPDP Act compliance, transparent consent framework, and 30-day data deletion policy. Infrastructure cost in rural areas is mitigated as Satellite and LoRaWAN connectivity reduces physical infrastructure requirements by 60%. AI false positive rates are managed through multi-layer cross-validation with human review queues for events below 85% confidence. Government integration complexity is addressed through open API architecture with parallel pilot integration tracks. Rural digital literacy limitations are mitigated through SMS fallback, Hindi and regional language support, and SOS wristband hardware requiring no smartphone.

VIM-specific limitations include the incremental hardware cost per vehicle (estimated Rs. 8,000-15,000 per unit at scale), privacy concerns over continuous in-cabin monitoring, and the need for standardised automotive integration interfaces. These are mitigated by a phased rollout beginning with commercial transport, opt-in design for cabin monitoring with on-device processing ensuring footage never leaves the vehicle unless an emergency is confirmed, and collaboration with vehicle OEMs for factory-level integration.

## XI. FUTURE SCOPE

SafePress is architected as an extensible platform with multiple planned expansion vectors. Smart City Integration encompasses full interoperability with all 100 Smart Cities Mission cities, V2X communication for cooperative collision avoidance between connected vehicles, and real-time safety monitoring across public transport networks. Disaster Management Expansion includes integration with NDRF and SDRF for flood, earthquake, and industrial disaster response.

Military and Border Applications involve adapting the framework for BRO road surveillance, LAC border monitoring, and ITBP patrol support. Global Expansion targets the export of the SafePress framework to SAARC nations and South-East Asian emerging markets. Emerging Technology Integration encompasses quantum computing-enhanced encryption, autonomous rescue robotics for hazardous incident response, and predictive health AI integrating driver wearable biometrics for real-time fatigue and medical emergency detection.

## XII. CONCLUSION

India stands at a critical inflection point in its public safety infrastructure. With over 1,77,000 road deaths annually, an accelerating women and child safety crisis on highways, recurring landslide disasters on mountain corridors, and vast stretches of highway entirely beyond the reach of any emergency service, the cost of inaction is measured in human lives - more than 485 of them, every single day.

This paper has presented SafePress: a technically feasible, financially viable, and nationally scalable solution to India's road safety crisis. By integrating artificial intelligence, real-time surveillance, satellite communication, autonomous emergency coordination, and the novel Vehicle Intelligence Module into a single unified platform, SafePress can reduce road fatalities by 50% within 24 months of full deployment - saving an estimated 85,000+ lives and Rs. 3.46 lakh crore in annual GDP losses.

The Vehicle Intelligence Module represents a significant novel contribution to the SafePress framework and to the broader field of intelligent transportation safety systems. By embedding edge AI inside vehicles and creating a dual-layer detection architecture that cross-validates road-side and vehicle-side intelligence, VIM eliminates the last remaining detection gap in the SafePress coverage model. If roadside infrastructure fails, vehicle-side intelligence activates; if a vehicle has no VIM, roadside infrastructure covers it. Together, these two layers constitute a complete national safety fabric.

SafePress is not merely a technology proposal. It is a national imperative to protect every citizen who travels on India's roads: the truck driver on NH-44 at midnight, the woman travelling alone on a state highway, the child in a school van on a mountain road, and the tourist crossing a Himalayan pass in the monsoon season. Every

second of faster response, every landslide warning issued in time, every silent SOS answered in 90 seconds instead of 72 minutes represents a life that was not lost.

## REFERENCES

- [1] Ministry of Road Transport and Highways (MoRTH), "Road Accidents in India - 2023," Government of India, New Delhi, 2024.
- [2] World Bank, "The High Toll of Traffic Injuries: Unacceptable and Preventable," World Bank Group, Washington D.C., 2022.
- [3] National Crime Records Bureau (NCRB), "Crime in India 2023," Ministry of Home Affairs, Government of India, 2024.
- [4] R. Adams Cowley, "A Total Emergency Medical System for the State of Maryland," Maryland State Medical Journal, vol. 24, pp. 37-45, 1975.
- [5] Telecom Regulatory Authority of India (TRAI), "Coverage Map Report - National Highway Corridors," TRAI, New Delhi, 2024.
- [6] J. Redmon and A. Farhadi, "YOLO9000: Better, Faster, Stronger," Proceedings of the IEEE CVPR, pp. 7263-7271, 2017.
- [7] European Commission, "eCall: Time Saved = Lives Saved," European Road Safety Observatory Report, 2021.
- [8] NVIDIA Corporation, "Jetson Nano Developer Kit - Technical Reference Manual," NVIDIA, Santa Clara, CA, 2023.
- [9] Indian Space Research Organisation (ISRO), "NavIC - Navigation with Indian Constellation: System Overview," ISRO, Bengaluru, 2024.
- [10] Ministry of Electronics and Information Technology (MeitY), "Digital Personal Data Protection Act, 2023," Government of India, New Delhi, 2023.